

SHOWER
Exposed Thermostatic Tub and
Shower System (Rough & Trim)
CD3.02

GRAFF®



Information

- Showerhead, 20" Shower Arm, Flange
- Flow rates: showerhead ≤ 1.8 max gpm
- Includes matching tub spout
- ADA
- CALGreen

CD3.02

Exposed Thermostatic Tub and Shower System

GRAFF®



Product Features

- Showerhead, 20" shower arm, flange
- Flow rates: showerhead \leq 1.8 max gpm
- Includes matching tub spout

Available Finishes

- Polished Chrome
CD3.02-PC
- Polished Nickel
CD3.02-PN
- Olive Bronze
CD3.02-OB
- Steelnox
CD3.02-SN


Code Compliance

- ADA
- CALGreen

Warranty

- Limited lifetime warranty

For complete warranty information go to <https://www.graff-faucets.com/en/info/faqs>



The measurements shown are for reference only. Products and specifications shown are subject to change without notice. Revised 1/2019

www.graff-designs.com | phone: 800-954-4723

SHOWER
Traditional 8" Showerhead
G-8410

GRAFF®



Information

- Sunflower shape
- 112 no-clog, easy-clean rubber spray nozzles
- Metal ball-joint allows for showerhead angle adjustment
- Showerhead flow rate ≤ 1.8 max gpm
- Recommend use with ceiling shower arm
- Recommended for use at no more than 10 degrees tilt
- CALGreen

Finishes



Olive Bronze



Polished
Chrome




Polished
Nickel



Steelnox®
(Satin Nickel)

G-8410



SHOWER
Exposed Thermostatic Valve
G-8910

GRAFF®



Finishes



Olive Bronze



Polished
Chrome




Polished
Nickel



Steelnox®
(Satin Nickel)


G-8910

Exposed Thermostatic Valve



SHOWER
Exposed Riser
G-8933

GRAFF®



Finishes



Olive Bronze



Polished
Chrome



Polished
Nickel



Steelnox®
(Satin Nickel)

G-8933

Exposed Riser

