



Terminal Block Connector

Creating Clear and Secure Tape Light Connections

Our Terminal Block Connector is designed to simplify installation using the standard screws provided while offering reliable functionality throughout the product's life. The connector is available in three different SKUs to cover all your tape to tape and tape to wire connection needs and is designed with a robust, clear connector material to reduce shadowing. Each connector also comes with $3M^{\mbox{\tiny M}}$ adhesive backing for secure placement.







Terminal Block Connector makes installing tape light a breeze.

Designed with clear material to help disperse hard shadowing that often solid-color connectors can create. **Easy screw and unscrew** feature for secure, no hassle connections.

Solid, with even pressure applied to both the tape and wire from all four corners.

3M™ adhesive allows the connector to securely be applied to the surface alongside the tape.

Connects with our 4T and 6T Dry LED tape lights

Connectors include tape to tape, tape to wire and tape to supply lead.





DETAILS



TAPE TO TAPE

Helps connect two pieces of tape together to continue a run or can be used as a patch.



TAPE TO WIRE

Allows you to supply your own wire (18-22 AWG) at the desired length necessary for your installation.



TAPE TO SUPPLY LEAD

Comes with 6' of supply lead wire already affixed so you can save a step in connecting the tape back to the power supply.


PROJECT:	PRODUCT #:
TYPE:	DATE:
PREPARED BY:	AUTHORIZED BY*:
COMMENTS:	

SPECIFICATIONS

	Item#	Amps	Voltage	Finish	Size	Wire	Packed as	Includes
Tape to Tape	1TBTT1CLR	run		Clear	.44"L x .48"W x .31"H	N/A	5 pack	(5) 3M [™] squares
Tape to Wire	1TBTW1CLR		max un 12V or 24V igth			18-22 AWG	5 pack	(5) 3M [™] squares
Tape to Supply Lead	1TBTWSCLR	of tape				72" 18AWG included	Single	(1) 3M [™] square

Suitable for 30°C Ambient

DIMENSIONS



COMPATIBLE FIXTURES

This connector can only be used with Kichler® Class 2, 12V and 24V DC power supplies and accessories.



4T 1	12V L	ED T	APE L	IGHT

4T 12V LED Tap	e Light – 16' Roll	4T 12V LED Tape Light – 100' Roll		
Standard Output 16' max linear run			High Output 16' max linear run	
2700K - 120lm	2700K - 210lm	2700K - 120lm	2700K - 210lm	
4T116S27WH	4T116H27WH	4T1100S27WH	4T1100H27WH	
3000K - 130lm	3000K - 240lm	3000K - 130lm	3000K - 240lm	
4T116S30WH	4T116H30WH	4T1100S30WH	4T1100H30WH	

4T POWER SUPPLIES

Plug-In **Direct Wire Dimmable 4TD12V40BKT** - 40W 4TP12V30BK - 30W

4TP12V60BK - 60W 4TD12V60BKT - 60W LED Driver + Dimmer 4DD12V040WH

40W with white face plate

4DD12V060WH

60W with white face plate



3000K - 245lm

6T120H30 WH

5000K - 270lm

6T120H50 WH

6T POWER SUPPLIES

Standard

Output

32' max

linear run

2700K - 120lm

6T110S27 WH

3000K - 125lm

6T110S30 WH

Direct Wire Dimmable Plug-In **10190BK30** - 30W 6TD24V10BKT- 10W 10190BK48 - 48W 6TD24V40BKT - 40W 10190BK60 - 60W 6TD24V60BKT - 60W

3000K - 245lm

6T110H30 WH

6TD24V96BKT - 96W

3000K - 125lm

6T116S30 WH

5000K - 145lm

6T116S50 WH

LED Driver + Dimmer 6DD24V060WH

60W with white face plate

6DD24V0100WH

100W with white face plate

Terminal Block connectors also work well with our TE Series extruded aluminum channels

Learn more at Kichler.com/TapeChannels



3000K - 125lm

6T1100S30 WH

5000K - 145lm

6T1100S50 WH

3000K - 245lm

6T1100H30 WH

5000K - 270Im

6T1100H50 WH

BUILD YOUR SYSTEM

The ability to build a lighting system is one of the many things that makes low-voltage LED tape and accent lighting so versatile. With the right components, you can install lighting just about anywhere your supply wire can take you, including residential installations on kitchen cabinets, garage work stations, shelving and decorative spaces. To build your system, you'll need:

Product + Power Supply + Leads and Interconnects + Accessories = Lighting Systems





See the entire Tape Light product line at **Kichler.com**

