# Ibis 4 Light Large Pendant Polished Nickel™

44203PN (Polished Nickel)

| Project Name: |  |  |  |
|---------------|--|--|--|
| _ocation:     |  |  |  |
| Гуре:         |  |  |  |
| Qty:          |  |  |  |
| Comments:     |  |  |  |



| Certifications | /Oualifications |
|----------------|-----------------|

| Location Rating   | Dry                      |
|-------------------|--------------------------|
|                   | www.kichler.com/warranty |
| Dimensions        |                          |
| Base Backplate    | 7.00 DIA                 |
| Chain/Stem Length | 36"                      |
| Weight            | 13.00 LBS                |
| Height            | 31.00"                   |
| Overall Height    | 69.00"                   |
| Width             | 30.00"                   |

### Mounting/Installation

| Interior/Exterior | Interior  |
|-------------------|-----------|
| Lead Wire Length  | 60        |
| Mounting Weight   | 13.00 LBS |

#### **Primary Lamping**

| Bulb Product ID        | 4071CLR      |
|------------------------|--------------|
| Lamp Included          | Not Included |
| Lamp Type              | A19          |
| Light Source           | Incadescent  |
| Max or Nominal Watt    | 75W          |
| # of Bulbs/LED Modules | 4            |
| Socket Type            | Medium       |
| Socket Wire            | 105          |
|                        |              |

# **Product/Ordering Information**

| SKU    | 44203PN      |
|--------|--------------|
| Finish | Nickel       |
| Style  | Contemporary |
| UPC    | 783927551526 |

# **Specifications**

| •             |            |
|---------------|------------|
| Material      | STEEL      |
| Max Stem Tilt | 90 Degrees |

### **Additional Finishes**



Polished Nickel

#### Kichler

7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

#### Notes:

Notes:

1) Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.

2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.

