

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Fiction

Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
WS-W11914 14"	3000K 90	BK Black	9W	120-277 VAC	788	445

Example: **WS-W11914-BK**

For custom requests please contact customs@waclighting.com

DESCRIPTION

Modern elegance in a powerful, iconic design.

FEATURES

- Front lit etched acrylic panel design
- Driver concealed within the fixture
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10% , 0-10V: 100-10%,TRIAC: 100-10%
Rated Life:	50000 Hours
Mounting:	Can be mounted on wall vertically or upside down
Standards:	ETL, cETL,IP65
	Wet Location Listed
Construction:	Aluminum body with acrylic diffuser




FINISHES:



Black

LINE DRAWING:



WS-W11914

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Fiction

Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
WS-W11920 20"	3000K 90	BK Black	15W	120-277 VAC	1666	758

Example: **WS-W11920-BK**

For custom requests please contact customs@wacighting.com

DESCRIPTION

Modern elegance in a powerful, iconic design.

FEATURES

- Front lit etched acrylic panel design
- Driver concealed within the fixture
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10% , 0-10V: 100-10%, TRIAC: 100-10%
Rated Life:	50000 Hours
Mounting:	Can be mounted on wall vertically or upside down
Standards:	ETL, cETL, IP65
	Wet Location Listed
Construction:	Aluminum body with acrylic diffuser




FINISHES:



Black

LINE DRAWING:



Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Fiction

Outdoor Wall Sconce 3000K

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
WS-W11926 26"	3000K 90	BK Black	20W	120-277 VAC	2855	1132

Example: **WS-W11926-BK**

For custom requests please contact customs@wacighting.com

DESCRIPTION

Modern elegance in a powerful, iconic design.

FEATURES

- Front lit etched acrylic panel design
- Driver concealed within the fixture
- 5 year warranty

SPECIFICATIONS

Color Temp:	3000K
Input:	120-277 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10% , 0-10V: 100-10%,TRIAC: 100-10%
Rated Life:	50000 Hours
Mounting:	Can be mounted on wall vertically or upside down
Standards:	ETL, cETL,IP65
	Wet Location Listed
Construction:	Aluminum body with acrylic diffuser




FINISHES:



Black

LINE DRAWING:



WS-W11926